From: <u>Jump, Christine</u>

To: <u>Michael Stephenson</u>; <u>SMITH, MARTIN L</u>

Cc: Akhter Hossain
Subject: RE: Test America QAP

Date: Thursday, June 19, 2014 6:36:00 AM

Thanks Mike. I will send it on to my QA group, but I don't think I ever received a schedule for the work you are currently doing.

When did you start excavating building J, how long do you anticipate it taking, when will you initiate work outside Building I, etc.

I realize things may change, but for oversight purposes, you are required to provide this information. You can provide updates by email as schedules are adjusted. We have conditionally approved this work without all the usual detail in an attempt to let you move forward quickly, but because of this, we need to be kept informed about onsite activities.

Please let me know if you have any questions.

Chris Jump, L.G.
Waste Remediation and Permitting Branch
US EPA, Region 7
jump.chris@epa.gov
(913) 551-7141

Mailing address: 11201 Renner Boulevard, Lenexa, KS 66219

From: Michael Stephenson [mailto:mstephenson@cameron-cole.com]

Sent: Wednesday, June 18, 2014 12:46 PM

To: Jump, Christine **Cc:** Akhter Hossain

Subject: FW: Test America QAP

Hello Chris,

Attached is the QAPP for Test America Seattle to whom we have submitted samples for dalapon analysis by 8151 MS. I am working on the comprehensive response to comments but wanted to get this in your hands straight away as samples are currently en route to the lab.

Thanks, Mike

From: Brady Gerber [mailto:BGerber@isienvironmental.com]

Sent: Friday, June 06, 2014 2:13 PM

To: Michael Stephenson Subject: Test America QAP Good afternoon Mike,

Attached is the Test America Quality Assurance Manual and the reporting/MDL limits for dalapon soil samples.

Let me know if you have any questions.

Thanks

Brady Gerber

iSi Environmental (iSi)

Phone: (316) 264-7050 Cell: (316) 772-7286

http://www.iSienvironmental.com

IMPORTANT: This communication contains information from Integrated Solutions, Inc., dba iSi Environmental and iSi Industrial Services which may be confidential and privileged and is solely for the use of the intended recipient. If it appears that this communication was addressed or sent to you in error, you may not use, copy, disclose, or distribute this communication or any information contained therein. If you have received this in error, please notify me immediately by reply email or by telephone at (888-264-7050).